Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	23213454	@ad<="20020909" or @rlad<="20020909" or @ptad<="20020909" or @pt1d<="20020909" or @pt3d<="20020909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
L4	335	(menu\$2) with (\$phone mobile cellular wireless pda) with register\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
L5	239	L3 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
L6	270	generat\$4 with (delet\$4 remov\$4 eras\$4) with menu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
L7	97076	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
L8	23213454	@ad<="20020909" or @rlad<="20020909" or @ptad<="20020909" or @pt1d<="20020909" or @pt3d<="20020909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
L9	70978	L7 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
L10	8	L6 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
L11	1213	display\$4 with ((delet\$4 remov\$4 eras\$4) near4 menu\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54

L12	35	L11 and L9	US-PGPUB;	OR	ON	2006/05/09 19:54
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S1	91819	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:34
S2	23133245	@ad<="20020909" or @rlad<="20020909" or @ptad<="20020909" or @pt1d<="20020909" or @pt3d<="20020909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:22
S3	68924	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:32
S4	42	((plane main \$dimension\$4 "three-dimensional" "two-dimensional") near4 menu\$2) with ((add\$4 creat\$4) near3 (menu\$4 near3 item\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:35
S5	1	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:35
S6	13	((plane main \$dimension\$4 "three-dimensional" "two-dimensional") near4 menu\$2) same ((add\$4 creat\$4) near3 (menu\$4 near3 item\$3)) same (table\$5 field\$4 slot\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:36
S7	13	((plane main \$dimension\$4 "three-dimensional" "two-dimensional") near4 menu\$2) same ((add\$4 creat\$4 register\$6) near3 (menu\$4 near3 item\$3)) same (table\$5 field\$4 slot\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:36
S8	85	((plane main \$dimension\$4 "three-dimensional" "two-dimensional") near4 menu\$2) same ((add\$4 creat\$4 register\$6) near3 (menu\$4 near3 item\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:38

S9	6	S3 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:37		
S10	580	((plane main \$dimension\$4 "three-dimensional" "two-dimensional") near4 menu\$2) same ((add\$4 creat\$4 register\$6) near3 menu\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:18		
S11	26	S3 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:14		
S12	2	"5724492".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:14		
S13	308	(menu\$2) with (\$phone mobile cellular wireless pda) with register\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:21		
S14	229	S2 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54		
S15	12	generat\$4 with menu\$2 with (\$phone mobile cellular wireless pda) with register\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:22		
S16	229	S2 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:22		
S17	2	S2 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:22		
S18	6	S2 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:37		

	T		T	T		T
S19	2	"5724492".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:10
S20	250	generat\$4 with (delet\$4 remov\$4 eras\$4) with menu\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:15
S21	91819	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:11
S22	23133245	@ad<="20020909" or @rlad<="20020909" or @ptad<="20020909" or @pt1d<="20020909" or @pt3d<="20020909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:12
S23	2	"20020111139"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:13
S24	68924	S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:14
S25	8	S20 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
S27	1135	display\$4 with ((delet\$4 remov\$4 eras\$4) near4 menu\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/11/22 16:16
S28	32	S27 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 19:54
S29	4578940	10/649002 and delet\$4 remov\$4 hid\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:22

	1	,				
S30	1	10/649002 and (delet\$4 remov\$4 hid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:29
S31	232	(multi\$dimension\$4 or three-dimension\$4 or ("3" near3 dimension\$) or (three near3 dimension\$)) near5 menu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:32
S32	174	(multi\$dimension\$4 or three-dimension\$4 or ("3" near3 dimension\$) or (three near3 dimension\$)) near3 menu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:32
S33	3	"455"/\$.ccls. and ((multi\$dimension\$4 or three-dimension\$4 or ("3" near3 dimension\$) or (three near3 dimension\$)) near3 menu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:35
S34	127	((multi\$dimension\$4 or three-dimension\$4 or ("3" near3 dimension\$) or (three near3 dimension\$)) near3 menu) and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:37
S35	6	((multi\$dimension\$4 or three-dimension\$4 or ("3" near3 dimension\$) or (three near3 dimension\$)) near3 menu) and S22 and (menu near3 plane\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:40
S36	37	S34 and ((generat\$ or creat\$) near3 menu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:50
S37	3	(cubic near3 menu\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:51
S38	2	(cubic near3 menu\$1) and ((generat\$ or creat\$) near4 menu\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:59
S39	2	"5995104".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:59

			T		I	
S40	23139785	@ad<="20020909" or @rlad<="20020909" or @ptad<="20020909" or @pt1d<="20020909" or @pt3d<="20020909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 19:45
S41	3763	((delet\$4 eras\$4 remov\$4) near5 menu\$2) with ((sub near2 menu\$4) "sub-menu\$4" \$menu (menu\$4 near3 item\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 21:07
S42	109	((delet\$4 eras\$4 remov\$4) near5 menu\$2) with ((sub near2 menu\$4) "sub-menu\$4" \$menu (menu\$4 near3 item\$4)) with (mobile ((terminal device) near3 (portable wireless)) pda cellular \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 19:49
S43	31	((delet\$4 eras\$4 remov\$4) near5 menu\$2) with ((sub near2 menu\$4) "sub-menu\$4"(menu\$4 near3 item\$4)) with (mobile ((terminal device) near3 (portable wireless)) pda cellular \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 20:03
S44	2	((delet\$4 eras\$4 remov\$4) near3 menu\$4) with ((compris\$4 includ\$4 hav\$4) near5 ((sub near2 menu\$4) submenu\$ "sub-menu\$4" (menu\$4 near3 item\$4))) with (mobile ((terminal device) near3 (portable wireless)) pda cellular \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 20:07
S45	1410	((sub near2 menu\$4) submenu\$ "sub-menu\$4" (menu\$4 near3 item\$4)) with (mobile ((terminal device) near3 (portable wireless)) pda cellular \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 20:13
S46	184	(delet\$4 eras\$4 remov\$4) near3 ((main\$4 near3 menu\$4) ((number plurality) near4 menu))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 20:13
S47	5	S45 same S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 20:10
S48	1525206	(mobile ((terminal device) near3 (portable wireless)) pda cellular \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 21:45

S49	21	S46 same S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 20:13
S50	58	((delet\$4 eras\$4 remov\$4) near5 menu\$2) with (icon\$2 gui) with menu\$3 with ((sub near2 menu\$4) "sub-menu\$4" (menu\$4 near3 item\$4) submenu\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:34
S51	94	((delet\$4 eras\$4 remov\$4)) with (icon\$2 gui) with menu\$3 with ((sub near2 menu\$4) "sub-menu\$4" (menu\$4 near3 item\$4) submenu\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 21:45
S52	825	(delet\$4 eras\$4) with menu\$3 with ((sub near2 menu\$4) "sub-menu\$4" (menu\$4 near3 item\$4) submenu\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 21:45
S53	1673515	(mobile ((terminal device) near3 (portable communication wireless)) pda cellular \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 21:46
S54	499	S52 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 21:48
S55	377	S40 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 21:46
S56	77	S52 same S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 22:25
S57	0	"2002757132"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 22:27
S58	3905	kim near2 (G adj H)".inv"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:21

S59	17602	menu near3 item	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:21
S60	2	S58 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:21
S61	23140619	@ad<="20020909" or @rlad<="20020909" or @ptad<="20020909" or @pt1d<="20020909" or @pt3d<="20020909"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:22
S62	3300	S58 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:22
S63	92315	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:34
S64	4011	(delet\$4 eras\$4 remov\$4) near5 (menu\$2 (sub near2 menu\$4) "sub-menu\$4" submenu\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:36
S65	19364784	(portable mobile cellular handheld hand?held movable wireless remote\$2 user \$phone subscriber terminal radio station \$phone pda pcd pic ms (mobile adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:36
S66	17276623	(portable mobile cellular handheld hand?held ((wireless radio remote\$2 wireless communication) near3 (terminal\$4 device\$4)) \$phone pda pcd ms (mobile adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 10:39
S67	403	S64 same S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 17:27
S68	2	"20010006388"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 18:10

S69	2	"20040048607"	LIC DCDUP	OR	ON	2005/12/00 10:27
202	2	2004004000/	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	UK	UN	2005/12/08 18:37
S70	166	("Msisdn" "min" "ani" "sim" (subscriber near3 module)) near6 cradl\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:02
S71	2	"20010006388"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:03
S72	2	"5724492".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:03
S73	2	"20020111139"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/08 20:03
S74	4	"2002011139"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 16:24
S75	2	"20020111139"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 16:44
S76	2	"20010006388"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 16:46
S77	2	"5724492".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 16:46